# SAFETY DATA SHEET

### 1. Identification

Product identifier

**Ultra-Performance Grease** 

**Product Code** 

RP0312

Other means of identification

Not available.

Recommended use

Not available.

**Recommended restrictions** 

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Royal Purple, LLC

**Address** 

1 Royal Purple Lane Porter, Texas 77365

United States

Telephone

281-354-8600

E-mail

technical@calumetspecialty.com

**Emergency phone** 

number

CHEMTREC

1-800-424-9300

# 2. Hazard(s) identification

Physical hazards

Not classified.

**Health hazards** 

Not classified.

**Environmental hazards** 

Not classified.

**OSHA** defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

The mixture does not meet the criteria for classification.

Precautionary statement

Prevention

Observe good industrial hygiene practices.

Response

Wash hands after handling.

Storage

Store away from incompatible materials.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

### 4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** 

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to

an unconscious person.

Most important

Irritation of eyes and mucous membranes. Skin irritation.

symptoms/effects, acute and delayed

Material name: Ultra-Performance Grease

SDS US

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Large Spills: Stop the flow of material, if this is without risk, Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so.

# 7. Handling and storage

Precautions for safe handling

Conditions for safe storage,

including any incompatibilities Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure

limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Semi-Solid, Grease

Physical state

Liquid.

Material name: Ultra-Performance Grease RP0312 Version #: 1.0 Revision date: 12-02-2015 Print date: 12-02-2015 Form

Liquid, Semi-Solid, Paste.

Color

Translucent, Purple

Odor

Sweet

Odor threshold

Not available.

Not available.

Melting point/freezing point

Not available.

Initial boiling point and

boiling range

680 °F (360 °C) estimated

> 429.8 °F (> 221.0 °C) Flash point

275.0 °F (135.0 °C) estimated

**Evaporation rate** 

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

**Explosive limit - lower** 

Not available.

(%)

Vapor pressure

**Explosive limit - upper** (%)

Not available.

< 0.01 kPa

0.00001 hPa estimated

Density

0.91 g/cm3

0.88 g/cm3 estimated

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water)

Not available.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature

> 500 °F (> 260 °C)

500 °F (260 °C) estimated

Decomposition temperature

Viscosity

Not available. Not available.

Other information

Flammability class

Combustible IIIB estimated

Pour point

500 °F (260 °C)

Specific gravity

0.88 estimated

### 10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Hazardous decomposition Strong oxidizing agents.

products

Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon

dioxide.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation

No adverse effects due to inhalation are expected.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes and mucous membranes. Skin irritation.

Information on toxicological effects

**Acute toxicity** 

Respiratory tract irritation.

**Product** Ultra-Performance Grease (CAS Mixture)

Species

**Test Results** 

Acute

Other

LD50

Rahhit

27777.7832 mg/kg, 4 Hours estimated

Skin corrosion/irritation

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carcinogenicity

Reproductive toxicity

Skin sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Not an aspiration hazard.

### 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Ultra-Performance Gre	ease (CAS Mixture)		
Aquatic			
Crustacea	EC50	Daphnia	20833.334 mg/l, 48 hours estimated
Fish	LC50	Fish	50000 mg/l, 96 hours estimated

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

**Bioaccumulative potential** 

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Material name: Ultra-Performance Grease

SDS US

4/6

RP0312 Version #: 1.0 Revision date: 12-02-2015 Print date: 12-02-2015

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

1 - 1

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**US** federal regulations

One or more components are not listed on TSCA.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

No

Hazardous chemical

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

### US state regulations

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name On inventory (yes	/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
	Call I I I would talk the foundation of the desirable and by the government government of	

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date Revision date 12-02-2015 12-02-2015

Version #

1.0

Disclaimer

1 cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: Ultra-Performance Grease

SDS US

RP0312 Version #: 1.0 Revision date: 12-02-2015 Print date: 12-02-2015