

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: VEMAG Hochleistungsfett

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease  
Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier: FUCHS LUBRITECH GmbH  
Werner-Heisenberg-Straße 1  
67661 Kalserslautern/Germany

Telephone: +49 (0) 6301 3206-0  
Fax: +49 (0) 6301 3206-940

Contact Person: FUCHS LUBRITECH GmbH - Product Safety Management  
Telephone: +49 (0) 6301 3206-0  
Fax: +49 (0) 6301 3206-940  
E-mail: reach@fuchs-lubritech.de

1.4 Emergency telephone number: +49 (0) 6301 3206-0

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

#### Hazard summary

Physical Hazards: No data available.

#### 2.2 Label Elements

~~EUH208: Contains Calcium Sulfonate. May produce an allergic reaction.~~

EUH210: Safety data sheet available on request.

#### 2.3 Other hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

### SECTION 3: Composition/information on ingredients

Product name: VEMAG Hochleistungs Fett

### 3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
Calcium Sulfonate	EINECS: 263-093-9	1,00 - <10,00%	01-2119488992-18	
Calcium Sulfonate	EINECS: 271-529-4	1,00 - <10,00%	01-2119492627-25	
Ca Sulfonate	EINECS: 274-263-7	1,00 - <10,00%	01-2119492616-28	
Ca Sulphonate	EINECS: 247-557-8	1,00 - <3,00%		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	EINECS: 270-128-1	1,00 - <2,50%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.  
vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Identifier	Classification
Calcium Sulfonate	EINECS: 263-093-9	CLP: Skin Sens. 1B;H317
Calcium Sulfonate	EINECS: 271-529-4	CLP: Skin Sens. 1B;H317
Ca Sulfonate	EINECS: 274-263-7	CLP: Skin Sens. 1B;H317
Ca Sulphonate	EINECS: 247-557-8	CLP: Skin Irrit. 2;H315, Eye Dam. 1;H318
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	EINECS: 270-128-1	CLP: Aquatic Chronic 3;H412

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

### SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

#### 4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed: May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed: Get medical attention if symptoms occur.

Product name: VEMAG Hochleistungsfett

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

**5.3 Advice for firefighters**

**Special fire fighting procedures:** Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:** Not required.

**6.2 Environmental Precautions:** Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so: Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up:** Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

**6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

**SECTION 7: Handling and storage:**

**7.1 Precautions for safe handling:** Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in original tightly closed container. Keep separate from food, feedstuffs, fertilizers and other sensitive material. Store away from incompatible materials. No special precautions necessary if used correctly. Use only containers specifically permitted for this substance/product. Protect from contamination

Product name: VEMAG Hochleistungsfett

7.3 Specific end use(s): No data available.  
Storage Class: 11, Combustible solids

**SECTION 8: Exposure controls/personal protection**

**8.1 Control Parameters**

**Occupational Exposure Limits**

None of the components have assigned exposure limits.

**8.2 Exposure controls**

**Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:**

Safety glasses (EN 166) recommended during refilling.

**Skin protection**

**Hand Protection:**

No data available.

**Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

**Respiratory Protection:**

Not relevant, due to the form of the product.

**Thermal hazards:**

Not known.

**Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

**Environmental Controls:**

No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

Physical state: solid  
Form: Paste  
Color: Yellow

Product name: VEMAG Hochleistungsfehl

Odor:	Mild
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Melting Point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	> 180 °C (DIN 51755)
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)-:	Not applicable for mixtures
Flammability Limit - Lower (%)-:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0,95 - 1,05 g/cm <sup>3</sup> (25 °C)
Solubility(ies)	
Solubility in Water:	Practically Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
NLGI:	2
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

**SECTION 10: Stability and reactivity**

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances, Strong acids, Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

**SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Product name: VEMAG Hochleistungsfett

<b>Specified substance(s)</b> Calcium Sulfonate	LD 50 (Rat): > 16.000 mg/kg
<b>Dermal Product:</b>	Not classified for acute toxicity based on available data.
<b>Specified substance(s)</b> Calcium Sulfonate	LD 50 (Rat): > 4.000 mg/kg
<b>Inhalation Product:</b>	Not classified for acute toxicity based on available data.
<b>Skin Corrosion/Irritation:</b> Product:	Based on available data, the classification criteria are not met.
<b>Serious Eye Damage/Eye Irritation:</b> Product:	Based on available data, the classification criteria are not met.
<b>Respiratory or Skin Sensitization:</b> Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
<b>Germ Cell Mutagenicity</b> Product:	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b> Product:	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b> Product:	Based on available data, the classification criteria are not met.
<b>Specific Target Organ Toxicity - Single Exposure</b> Product:	Based on available data, the classification criteria are not met.
<b>Specific Target Organ Toxicity - Repeated Exposure</b> Product:	Based on available data, the classification criteria are not met.
<b>Aspiration Hazard</b> Product:	Based on available data, the classification criteria are not met.
<b>Other adverse effects:</b>	No data available.

Product name: VEMAG Hochleistungsfett

**SECTION 12: Ecological Information**

**12.1 Toxicity**

**Acute toxicity**

Product: Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

Ca Sulfonate LC 50 (Fish, 96 h): > 1.001 mg/l

**Aquatic Invertebrates**

**Specified substance(s)**

Ca Sulfonate EC 50 (Water Flea, 48 h): > 1.001 mg/l

Benzenamine, N-phenyl-,  
reaction products with  
2,4,4-trimethylpentene EC 50 (Water Flea, 48 h): 51 mg/l

Chronic Toxicity Product: Based on available data, the classification criteria are not met.

**12.2 Persistence and Degradability**

**Biodegradation**

Product: Not applicable for mixtures

**Specified substance(s)**

Calcium Sulfonate 8,6 % Not easily biodegradable

**12.3 Bioaccumulative potential**

Product: Not applicable for mixtures

**12.4 Mobility in soil:**

Product: Not applicable for mixtures

**12.5 Results of PBT and vPvB  
assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

No data available.

**Water Hazard Class  
(WGK):**

WGK 1; slightly water-endangering.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**General Information:**

Dispose in accordance with all applicable regulations.

**Disposal methods:**

Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

Product name: VEMAG Hochleistungsfett

European Waste Codes

12 01 12\*: spent waxes and fats

**SECTION 14: Transport information**

**ADR/RID**

14.1 UN Number: -  
14.2 UN Proper Shipping Name: -  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): -  
Hazard No. (ADR): -  
Tunnel restriction code: -  
14.4 Packing Group: -  
14.5 Environmental hazards: -  
14.6 Special precautions for user: -

**IMDG**

14.1 UN Number: -  
14.2 UN Proper Shipping Name: -  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): -  
EmS No.: -  
14.3 Packing Group: -  
14.5 Environmental hazards: -  
14.6 Special precautions for user: -

**IATA**

14.1 UN Number: -  
14.2 Proper Shipping Name: -  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): -  
14.4 Packing Group: -  
14.5 Environmental hazards: -  
14.6 Special precautions for user: -

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: not applicable.

**SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations**

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none



Product name: VEMAG Hochleistungsfett

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety  
assessment:

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other Information**

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Other information:

The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.

Revision Date:

16.08.2017

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

