

SAFETY DATA SHEET

Issue Date 11-May-2017

Revision Date 23-Jan-2018

Version 3.3

Page 1/19

1. IDENTIFICATION

Product identifier

Product Name

Digestion Solution for COD 20-1500 mg/l Range

Other means of identification

Product Code(s)

2125915

Safety data sheet number

M00485

UN/ID no

UN1830

Recommended use of the chemical and restrictions on use

Recommended Use

Laboratory Use. Determination of Chemical Oxygen Demand.

Uses advised against

Consumer use.

Restrictions on use

For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

<u>Classification</u>

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Corrosive to metals | Category 1 |
|---|-------------|
| Acute toxicity - Oral | Category 4 |
| Acute toxicity - Dermal | Category 3 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Mutagenicity | Category 1B |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 2 |
| Aquatic Acute Toxicity | Category 1 |
| Chronic aquatic toxicity | Category 1 |

Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER.

EN / AGHS


Page 1/19

Product Name Digestion Solution for COD 20-1500 mg/l Range Revision Date 23-Jan-2018
Page 2 / 19

Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

Label elements

Signal word - Danger



Hazard statements

- H290 May be corrosive to metals
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H332 Harmful if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H361 Suspected of damaging fertility or the unborn child
- H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor/physician
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P272 Contaminated work clothing should not be allowed out of the workplace
- P363 Wash contaminated clothing before reuse
- P201 Obtain special instructions before use
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P405 Store locked up
- P273 Avoid release to the environment
- P391 Collect spillage
- P234 Keep only in original container
- P390 Absorb spillage to prevent material damage
- P270 Do not eat, drink or smoke when using this product
- P501 Dispose of contents/ container to an approved waste disposal plant

Other Hazards Known

Not applicable

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 3/19

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

| Chemical name | CAS No. | Percent Range | HMRIC# |
|---------------------------------------|------------|------------------|--------|
| Sulfuric acid | 7664-93-9 | 80 - 90% | _ |
| Sulfuric acid, mercury(2+) salt (1:1) | 7783-35-9 | <1% | |
| Sulfuric acid, disilver(1+) salt | 10294-26-5 | <1% | - |
| Chromic acid (H2CrO4) | 7738-94-5 | <1% | |

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 4/19

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. May cause an allergic skin

reaction.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation. Avoid breathing vapors or mists.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

Hazardous combustion products This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear

EN / AGHS Page 4/19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 5/19

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Outside of the US, only persons properly qualified according to state or local regulations.

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guldelines

EN / AGHS

Page 5/19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 6/19

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------------|------------------------------|--|----------------------------|
| Sulfuric acid | TWA: 0.2 mg/m ³ | TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ |
| CAS#: 7664-93-9 | _ | (vacated) TWA: 1 mg/m³ | TWA: 1 mg/m ³ |
| Sulfuric acid, mercury(2+) salt (1:1) | TWA: 0.025 mg/m ³ | (vacated) Ceiling: 0.1 mg/m³ | IDLH: 10 mg/m³ Hg |
| CAS#: 7783-35-9 | S* | | Ceiling: 0.1 mg/m3 Hg |
| | | | TWA: 0.05 mg/m³ except |
| | | | Organo alkyls Hg vapor |
| Sulfuric acid, disilver(1+) salt | TWA: 0.01 mg/m ³ | TWA: 0.01 mg/m ³ | IDLH: 10 mg/m³ Ag |
| CAS#: 10294-26-5 | | (vacated) TWA: 0.01 mg/m³ | TWA: 0.01 mg/m³ Ag |
| Chromic acid (H2CrO4) | NDF | TWA: 5 μg/m³ | TWA: 0.0002 mg/m3 Cr |
| CAS#: 7738-94-5 | | (vacated) Ceiling: 0.1 mg/m ³ | - |
| | | Ceiling: 0.1 mg/m ³ | Ţ |

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Turbid solution Odorless Color Odor threshold light orange Not applicable

Property

Odor

<u>Values</u>

Remarks • Method

Molecular weight

Not applicable

< 0.5

pН

~ 0 °C / 32 °F

Estimation based on theoretical

calculation

Boiling point / boiling range

Melting point/freezing point

~ 100 °C / 212 °F

Estimation based on theoretical

calculation

EN / AGHS

Page 6 / 19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 7 / 19

Evaporation rate

1.04 (water = 1)

Estimation based on theoretical

calculation

Vapor pressure

0.975 mm Hg / 0.13 kPa at 145,8 °C / 294,44

Vapor density (air = 1)

0.62 (air = 1)

Specific gravity (water = 1 / air = 1)

1.776

Partition Coefficient (n-octanol/water)

No data available

Soil Organic Carbon-Water Partition Autoignition temperature

No data available

Coefficient

No data available

Decomposition temperature

No data available

Dynamic viscosity

No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

| Water solubility classification | Water solubility_ | Water Solubility Temperature |
|---------------------------------|-------------------|------------------------------|
| Soluble | > 1000 mg/L | 25 °C / 77 °F |

Solubility in other solvents

| Chemical Name | Solubility classification | <u>Solubility</u> | Solubility Temperature_ |
|---------------|---------------------------|-------------------|--------------------------|
| None reported | No information available | No data available | No information available |

Other Information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate Aluminum Corrosion Rate > 6.25 mm/yr / > 0.25 in/yr > 6.25 mm/yr / > 0.25 in/yr

Volatile Organic Compounds (VOC) Content

| Chemical name | CAS No. | Volatile organic compounds (VOC) content | CAA (Clean Air Act) |
|---------------------------------------|------------|--|---------------------|
| Sulfuric acid | 7664-93-9 | No data available | - |
| Sulfuric acid, mercury(2+) salt (1:1) | 7783-35-9 | Not applicable | - |
| Sulfuric acid, disilver(1+) salt | 10294-26-5 | No data available | - |
| Chromic acid (H2CrO4) | 7738-94-5 | No data available | - |

Explosive properties

Upper explosion limit Lower explosion limit No data available No data available

Flammable properties

Flash point

No data available

EN / AGHS

Page 7/19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 8/19

Flammability Limit in Air

Upper flammability limit: Lower flammability limit:

No data available No data available

Oxidizing properties

No data available.

Bulk density

Not applicable

Particle Size

No information available

Particle Size Distribution

No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Harmful by inhalation.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact May cause irritation. May cause sensitization by skin contact. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. Toxic in contact with skin.

Ingestion Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the

EN / AGHS Page 8/19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 9/19

mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Aggravated Medical Conditions Eye disorders. Skin disorders. Respiratory disorders. Preexisting eye disorders. Kidney

disorders. Nasal Septum. Teeth.

Toxicologically synergistic

None known.

products

distribution

Toxicokinetics, metabolism and See ingredients information below.

| Chemical name | Toxicokinetics, metabolism and distribution |
|--|---|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | The corrosivity of sulfuric acid makes it difficult to assess its effects on metabolism. Its corrosivity is also the main contributor to acute deaths, therefore it is not classified for acute toxicity. |
| Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9 | Central nervous system is the most sensitive target for mercury exposure. |
| Chromic acid (H2CrO4) (<1%) CAS#: 7738-94-5 | Chromium is human carcinogen mostly by inhalation exposure. |

Product Acute Toxicity Data Oral Evangura Route

Test data reported below

| - 3 | Of at Exposure Route | | | | | | |
|-----|----------------------|---------------|--|--|--|--|--|
| Т | Endpoint type | Reported dose | Key literature references and sources for data | | | | |
| - | Rat | 360 mg/kg | Outside testing | | | | |
| | LD50 | | <u>-</u> | | | | |

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

| ATEmix (oral) | No information available |
|-------------------------------|--------------------------|
| ATEmix (dermal) | 583.00 mg/kg |
| ATEmix (inhalation-dust/mist) | 4.18 mg/L |
| ATEmix (inhalation-vapor) | No information available |
| ATEmix (inhalation-gas) | No information available |

Ingredient Acute Toxicity Data

| Oral Exposure Route | | l | f available, see data below | | |
|--|------------------|---------------|-----------------------------|-----------------------|--|
| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
| Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5 | Rat LD50 | > 5000 mg/kg | None reported | None reported | Vendor SDS |

EN / AGHS

Page 9/19

Product Name Digestion Solution for COD 20-1500 mg/l Range **Revision Date** 23-Jan-2018

Page 10 / 19

| Chromic acid (H2CrO4) (<1%) CAS#: 7738-94-5 | Rat LD₅o | 80 mg/kg | None reported | Lungs, Thorax, or Respiration Cyanosis Gastrointestinal Hypermotility Diarrhea Skin and Appendages Other changes | RTECS (Registry of Toxic Effects of Chemical Substances) |
|--|------------------|---------------|------------------|--|--|
| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Rat LD50 | 2140 mg/kg | None reported | None reported | IUCLID (The International Uniform Chemical Information Database) |
| Sulfuric acid, mercury(2+) salt (1:1) (<1%) | Mouse LD50 | 25 mg/kg | None reported | None reported | RTECS (Registry of Toxic Effects of Chemical Substances) |
| CAS#: 7783-35-9 Dermal Exposure Ro | ute | <u> </u> | | I If available, see data below | |
| | | | _ | | 17 |

Reported Key literature references and Chemical name **Toxicological effects** Endpoint Exposure type dose time sources for data RTECS (Registry of Toxic Sulfuric acid. 625 mg/kg None None reported Rat Effects of Chemical mercury(2+) salt (1:1) LD₅₀ reported Substances) (<1%)CAS#: 7783-35-9

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route If available, see data below

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|--|------------------|---------------|------------------|-----------------------|--|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Rat LC50 | 0.510 mg/L | None reported | None reported | LOLI |

Inhalation (Gas) Exposure Route

If available, see data below

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route No data available No data available No data available No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below If available, see data below If available, see data below

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|--|------------------|---------------|------------------|---|--|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Human TD⊾∘ | 0.144 mg/L | 5 minutes | Lungs, Thorax, or Respiration Dyspnea | RTECS (Registry of Toxic Effects of Chemical Substances) |

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity
If available, see data below
Kinematic viscosity

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

EN / AGHS Page 10/19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018 Page 11 / 19

If available, see data below

| Chemical name | Test method | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|---------------------------|---------|------------------|------------------|--|---|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Existing human experience | Human | None reported | None reported | Corrosive to skin | HSDB (Hazardous Substances Data Bank) |
| Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9 | Existing human experience | Human | None reported | None reported | Skin irritant | GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance) |
| Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5 | Standard Draize Test | Rabbit | 500 mg | 4 hours | Not corrosive or irritating to skin | ECHA (The European Chemicals Agency) |

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

| Chemical name | Test method | Species | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|---------------------------|---------|------------------|------------------|-------------------|---|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Existing human experience | Human | None reported | None reported | Corrosive to eyes | HSDB (Hazardous Substances Data Bank) |
| Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9 | Existing human experience | Human | None reported | None reported | Eye irritant | GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance) |
| Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5 | Standard Draize Test | Rabbit | 180 mg | None reported | Corrosive to eyes | ECHA (The European Chemicals Agency) |

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route No data available. No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route If available, see data below. If available, see data below.

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route
No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route If available, see data below Dermal Exposure Route If available, see data below Inhalation (Dust/Mist) Exposure Route If available, see data below

EN / AGHS

Page 11 / 19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

If available, see data below

Page 12 / 19

Inhalation (Vapor) Exposure Route

| initial auton (vapor) | posure Noute | 7 | | n available, see data below | |
|-----------------------|--------------|-----------|----------------------------|-----------------------------|-------------------------------|
| Chemical name | Endpoint | Reported | Exposure Toxicological eff | | Key literature references and |
| | type | dose | time | | sources for data |
| Sulfuric acid | Human | .003 mg/L | 168 days | Musculoskeletal | RTECS (Registry of Toxic |
| (80 - 90%) | TCLo | _ | | Changes in teeth and | Effects of Chemical |
| CAS#: 7664-93-9 | | | | supporting structures | Substances) |

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route
No data available
Inhalation (Gas) Exposure Route
No data available
No data available

Ingredient Carcinogenicity Data

| Chemical name | CAS No. | ACGIH | IARC | NTP | OSHA |
|---------------------------------------|------------|-------|---------|-------|------|
| Sulfuric acid | 7664-93-9 | A2 | Group 1 | Known | Х |
| Sulfuric acid, mercury(2+) salt (1:1) | 7783-35-9 | - | Group 3 | - | - |
| Sulfuric acid, disilver(1+) salt | 10294-26-5 | ** | - | - | - |
| Chromic acid (H2CrO4) | 7738-94-5 | - | Group 1 | Known | Х |

<u>Legend</u>

| ACGIH (American Conference of Governmental Industrial Hygienists) | A2 - Suspected Human Carcinogen |
|---|----------------------------------|
| IARC (International Agency for Research on Cancer) | Group 1 - Carcinogenic to Humans |
| NTP (National Toxicology Program) | Known - Known Carcinogen |
| OSHA (Occupational Safety and Health Administration of the US Department of | X - Present |
| Labor | |

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

If available, see data below If available, see data below

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

| Chemical name | Test | Cell Strain | Reported dose | Exposure time | Results | Key literature references and sources for data |
|--|-------------------------|---------------|------------------|------------------|--|--|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Cytogenetic analysis | Hamster ovary | 4 mmol/L | None reported | Positive test result for mutagenicity | No information available |

Product Germ Cell Mutagenicity invivo Data

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route
No data available
No data available
No data available
No data available

Ingredient Germ Cell Mutagenicity Invivo Data

Oral Exposure Route

If available, see data below
Dermal Exposure Route

If available, see data below

EN / AGHS Page 12/19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 13 / 19

Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

If available, see data below If available, see data below If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below If available, see data below

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|--|------------------|---------------|------------------|---|--|
| Sulfuric acid (80 - 90%) CAS#: 7664-93-9 | Rabbit TC∟₀ | .02 mg/L | 7 hours | Specific Developmental Abnormalities Musculoskeletal system | No information available |
| Inhalation (Gas) Expe | osure Route | | | lf available, see data below | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

Product Ecological Data

Aquatic toxicity

Fish Crustacea Algae

No data available No data available No data available

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

| Chemical name | Exposure time | Species | Endpoint type | Reported dose | Key literature references and sources for data |
|--|---------------|---------------------|------------------|---------------|--|
| Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5 | 96 hours | Pimephales promelas | LC50 | 0.0012 mg/L | GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance) |
| Chromic acid (H2CrO4) (<1%) CAS#: 7738-94-5 | 96 hours | None reported | LC ₅₀ | 0.0031 mg/L | CEPA (Canadian Environmental Protection Agency) |

Crustacea If available, see ingredient data below Chemical name Exposure Endpoint Reported Key literature references and **Species**

| | time | • | type | dose | sources for data |
|-------------------|----------|---------------|------|--------------|-------------------------------|
| Sulfuric acid, | 48 Hours | Daphnia magna | LC50 | 0.00022 mg/L | GESTIS (Information System on |
| disilver(1+) salt | <u> </u> | | | | Hazardous Substances of the |
| (<1%) | | | | | German Social Accident |
| CAS#: 10294-26-5 | | | | | Insurance) |

Algae

If available, see ingredient data below

Other Information

EN / AGHS Page 13 / 19

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 14 / 19

Persistence and degradability

Product Biodegradability Data

No data available.

Ingredient Biodegradability Data

| Chemical name | Test method | Blodegradation | Exposure time | Results |
|--|----------------|----------------|------------------|------------------------------|
| Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9 | Inorganic Salt | None reported | None reported | Not readily biodegradable |
| Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5 | Inorganic Salt | None reported | None reported | Not readily biodegradable |

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

No data available

Ingredient Bioaccumulation Data

| Chemical name | Test method | Exposure time | Species | Bioconcentrat ion factor (BCF) | Results |
|--|---------------|------------------|---------------------|--------------------------------------|---|
| Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9 | None reported | None reported | None reported | BCF > 1000 | Has the potential to bioaccumula te |
| Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5 | None reported | 8 days | Oncorhynchus mykiss | BCF = 2.5 | Does not have the potential to bioaccumula te |

Mobility

Soil Organic Carbon-Water Partition Coefficient

No data available

Water solubility

| Water solubility classification | <u>Water solubility</u> | Water Solubility Temperature |
|---------------------------------|-------------------------|------------------------------|
| Soluble | > 1000 mg/L | 25 °C / 77 °F |

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

| EN / | AGHS | Page 14 / 19 |
|------|------|--------------|
| | | |

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 15 / 19

products

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

D002, D009

Special instructions for disposal

Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility.

Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

U.S. DOT

UN/ID no

UN1830

Proper shipping name

Sulfuric acid

Hazard Class Packing Group R Ш

Description

UN1830, Sulfuric acid, 8, II

Emergency Response Guide

137

Number

TDG

UN/ID no

UN1830

Proper shipping name

Sulfuric acid

Hazard Class

8 н

Packing Group Description

UN1830, Sulfuric acid, 8, II

IATA

UN/ID no

UN1830

Proper shipping name

Sulphuric acid

Hazard Class Packing Group

П

ERG Code

8L

Description

UN1830, Sulphuric acid, 8, II

IMDG

UN/ID no

UN1830

Proper shipping name

Sulphuric acid

Hazard Class

8

Packing Group

EmS-No Description F-A, S-B UN1830, Sulphuric acid, 8, II

Note:

No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EN / AGHS

Page 15 / 19

Product Name Digestion Solution for COD 20-1500 mg/l Range Revision Date 23-Jan-2018
Page 16 / 19

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Complies Complies **IECSC** Complies **KECL** Complies **PICCS** Complies TCSI **AICS** Complies Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| Sulfuric acid (CAS #: 7664-93-9) | 1.0 |
| Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9) | 1.0 |
| Sulfuric acid, disilver(1+) salt (CAS #: 10294-26-5) | 1.0 |
| Chromic acid (H2CrO4) (CAS #: 7738-94-5) | 0.1 |

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---|--------------------------------|------------------------|------------------------------|-------------------------------|
| Sulfuric acid 7664-93-9 | 1000 lb | - | - | X |
| Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9 | 10 lb | Х | <u>-</u> | X |
| Sulfuric acid, disilver(1+) salt 10294-26-5 | - | X | - | • |
| Chromic acid (H2CrO4) 7738-94-5 | 10 lb | Х | - | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

| EN / AGHS | Page 16 / 19 |
|-------------|--------------|
| LIA 1 VOIIO | 1 mg - 10 10 |

Product Name Digestion Solution for COD 20-1500 mg/l Range **Revision Date** 23-Jan-2018

Page 17 / 19

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------------------------|--------------------------|----------------|--------------------------|
| Sulfuric acid 7664-93-9 | 1000 lb | 1000 lb | RQ 1000 lb final RQ |
| | | | RQ 454 kg final RQ |
| Sulfuric acid, mercury(2+) salt (1:1) | 10 lb | • | RQ 10 lb final RQ |
| 7783-35-9 | | | RQ 4.54 kg final RQ |
| Chromic acid (H2CrO4) | 10 lb | - | RQ 10 lb final RQ |
| 7738-94-5 | | | RQ 4.54 kg final RQ |

U.S. - DEA (Drug Enforcement Administration) List I & List II

| Chemical name | U.S DEA (Drug Enforcement Administration) - List I or Precursor Chemicals | U.S DEA (Drug Enforcement Administration) - List II or Essential Chemicals |
|-----------------|---|--|
| Sulfuric acid | Not Listed | 50 gallon Export Volume (exports, |
| (80 - 90%) | | transshipments and international |
| CAS#: 7664-93-9 | | transactions to designated countries) |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical name | California Proposition 65 |
|--|---------------------------|
| Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9) | Developmental |
| Chromic acid (H2CrO4) (CAS #: 7738-94-5) | Carcinogen |
| | Developmental |
| | Female Reproductive |
| · · | Male Reproductive |

IMERC: Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Sulfuric acid 7664-93-9 | Х | X | X |
| Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9 | X | · X | х |
| Sulfuric acid, disilver(1+) salt 10294-26-5 | Х | - | Х |
| Chromic acid (H2CrO4) 7738-94-5 | Х | X | X |

U.S. EPA Label Information

| Chemical name | FIFRA | FDA |
|---------------|----------|-----------------|
| Sulfuric acid | 180.0910 | 21 CFR 184.1095 |

Canada - CEPA - Mercury Containing Products

| Chemical name | Canada - CEPA - Mercury Containing Products |
|---------------------------------------|---|
| Sulfuric acid, mercury(2+) salt (1:1) | Applies |
| | |
| EN / AGHS | Page 17 / 19 |

Product Name Digestion Solution for COD 20-1500 mg/l Range

Revision Date 23-Jan-2018

Page 18 / 19

CAS#: 7783-35-9

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

This product contains mercury and may be subject to reporting and recordkeeping requirements

Additional information

Global Automotive Declarable Substance List (GADSL)

| Chemical name | Global Automotive Declarable Substance List Classifications | Global Automotive Declarable Substance List Thersholds |
|---------------------------------------|---|---|
| Sulfuric acid, mercury(2+) salt (1:1) | Prohibited Substance (LR) | 0.0 % |
| 7783-35-9 | Declarable Substance (LR) | 0.1 % |
| Chromic acid (H2CrO4) | Declarable Substance (LR) | 0.0 % |
| 7738-94-5 | Prohibited Substance (LR) | 0.1 % |

NFPA and HMIS Classifications

| NFPA | Health hazards - 3 | Flammability - 0 | Instability - 0 | Physical and Chemical | |
|------|--------------------|------------------|----------------------|--------------------------|--|
| | | | | Properties SKN* | |
| HMIS | Health hazards - 3 | Flammability - 0 | Physical Hazards - 0 | Personal protection - X | |
| | | - | ļ | - See section 8 for more | |
| | | | | information | |

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
|--|-----|-----------------------------|------|----------------------------------|
|--|-----|-----------------------------|------|----------------------------------|

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 11-May-2017

Revision Date 23-Jan-2018

Revision Note SDS sections updated

2

EN / AGHS Page 18/19

Product Name Digestion Solution for COD 20-1500 mg/l Range Revision Date 23-Jan-2018
Page 19 / 19

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet

| | | · | | | | |
|--------|---|---|---|---|--|-----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | , | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | ·. |
| | | | | | | |
| : : | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | · | | |
| | | | - | | | |
| | | | | | | |
| | | | | | | s j |
| | | | | | | |
| | | | | | | |