

# Safety Data Sheet ANCOTREAT 1190

Supersedes Date 08/15/2013

Issuing Date 05/17/2017

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name ANCOTREAT 1190  
Recommended use Water treatment chemical  
Information on Manufacturer  
CHEM-AQUA, INC  
BOX 152170  
IRVING, TEXAS 75015

Product Code TZ81  
Chemical nature Alkaline Aqueous solution  
Emergency Telephone Number  
CHEMTREC® 800-424-9300  
Telephone inquiry  
972-579-2477

## 2. HAZARD IDENTIFICATION

Color red brown

Physical state Liquid

Odor Odorless

### GHS

#### Classification

##### Physical Hazards

Corrosive to Metals

Category 1

##### Health Hazard

Skin Corrosion/Irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

##### Other hazards

None

### Labeling

#### Signal Word

DANGER



### Hazard statements

H314 - Causes severe skin burns and eye damage

H290 - May be corrosive to metals

### Precautionary Statements

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P260 - Do not breathe mist

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P363 - Wash contaminated clothing before reuse.

P332 + P313 - If skin irritation occurs, get medical attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician.

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P342 + P311 - If experiencing respiratory symptoms, call a physician.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.

P390 - Absorb spillage to prevent damage.

P406 - Store in a corrosion-resistant container.

P501 - Dispose of contents and container in accordance with applicable local regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
Sodium hydroxide	1310-73-2	15-40

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

<b>General advice</b>	Do not get in eyes, on skin or on clothing. Do not breathe mist.
<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.
<b>Skin Contact</b>	Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
<b>Inhalation</b>	Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
<b>Notes to physician</b>	The product causes burns of eyes, skin and mucous membranes. Control of circulatory system, shock therapy if needed.

## 5. FIRE-FIGHTING MEASURES

<b>Flash Point</b>	Does not flash	<b>Method</b>	No data available
<b>Flammability Limits in Air %:</b>	Hydrogen, by reaction with metals.	<b>Upper:</b>	75
<b>Lower:</b>	4		
<b>Suitable Extinguishing Media</b>	Water spray. Carbon dioxide (CO <sub>2</sub> ). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
<b>Specific hazards arising from the chemical</b>	Contact with metals liberates flammable hydrogen gas. Material can create slippery conditions.		
<b>Protective Equipment and Precautions for Firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.		
<b>NFPA</b>	<b>Health</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0
<b>HMIS</b>	<b>Health</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
<b>Environmental Precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Methods for Cleaning Up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
<b>Neutralizing Agent</b>	Acetic acid, diluted.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Do not get in eyes, on skin or on clothing. Do not breathe mist.				
<b>Storage</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Metal containers must be lined. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.				
<b>Storage Temperature</b>	<b>Minimum</b>	40 °F / 4 °C		<b>Maximum</b>	110 °F / 43 °C
<b>Storage Conditions</b>	<b>Indoor</b>	X	<b>Outdoor</b>	<b>Heated</b>	<b>Refrigerated</b>

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection</b>	Tightly fitting safety goggles. Face-shield.
<b>Skin Protection</b>	Wear suitable protective clothing, Impervious gloves.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>General Hygiene Considerations</b>	Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Liquid	<b>Viscosity</b>	Non viscous
-----------------------	--------	------------------	-------------

Color	red brown	Odor	Odorless
Odor Threshold	Not applicable	Appearance	Transparent
pH	14	Specific Gravity	1.289
Evaporation Rate	0.43 (Butyl acetate=1)	Percent Volatile (Volume)	83.6
VOC Content (%)	0	VOC Content (g/L)	0
Vapor Pressure	11.56 mmHg @ 70°F	Vapor Density	0.6
Solubility	Completely soluble	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	> 212 °F / 100 °C	Flammability (solid, gas)	No data available
Flash Point	Does not flash	Method	No data available
Autoignition Temperature	No information available.		
Flammability Limits in Air %:	Hydrogen, by reaction with metals	Upper: 75 Lower: 4	

### 10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known.
Incompatible Products	Strong oxidizing agents, Acids, Metals.
Decomposition Temperature	No data available
Hazardous Decomposition Products	Carbon oxides, Sodium oxides, Hydrogen, by reaction with metals.
Possibility of Hazardous Reactions	None under normal processing.

### 11. TOXICOLOGICAL INFORMATION

**Product Information** No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	No information available
Dermal LD50	No information available
Inhalation LC50	
Gas	No information available
Mist	No information available
Vapor	No information available

**Principle Route of Exposure** Skin contact, Eye contact, Inhalation.

**Primary Routes of Entry** None known.

**Acute Effects:**

Eyes	Corrosive to the eyes and may cause severe damage including blindness.
Skin	Causes skin burns.
Inhalation	Harmful by inhalation. Causes burns.
Ingestion	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. May be fatal if swallowed.

**Chronic Toxicity**

**Target Organ Effects**

**Aggravated Medical Conditions**

**Component Information**

**Acute Toxicity**

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Sodium hydroxide 1310-73-2	No data available	= 1350 mg/kg ( Rabbit )	No data available	No data available	No data available

**Chronic Toxicity**

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Sodium hydroxide 1310-73-2	No data available	No data available	No data available	No data available	Skin; Eyes; Respiratory system

**Carcinogenicity**

There are no known carcinogenic chemicals in this product.

### 12. ECOLOGICAL INFORMATION

**Product Information** No information available.

**Component Information**

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition coefficient
Sodium hydroxide	No Information available.	LC50 = 45.4 mg/L Oncorhynchus mykiss 96 h	No information available	No Information available.	N/A

**Persistence and Degradability**

No information available.

**Bioaccumulation**

No information available.

Mobility No information available.

### 13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.  
 Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

### 14. TRANSPORT INFORMATION

#### DOT

Proper Shipping Name SODIUM HYDROXIDE SOLUTION  
 Hazard Class 8  
 UN-No UN1824  
 Packing Group II  
 Reportable Quantity (RQ) Sodium hydroxide, RQ kg= 1703.57  
 Description UN1824,SODIUM HYDROXIDE SOLUTION,8,PG II

#### TDG

Proper shipping name SODIUM HYDROXIDE SOLUTION  
 Hazard Class 8  
 UN-No UN1824  
 Packing Group II  
 Description UN1824,SODIUM HYDROXIDE SOLUTION,8,PG II

#### ICAO

UN-No UN1824  
 Proper Shipping Name SODIUM HYDROXIDE SOLUTION  
 Hazard Class 8  
 Packing Group II  
 Shipping Description UN1824,SODIUM HYDROXIDE SOLUTION,8,PG II

#### IATA

UN-No UN1824  
 Proper Shipping Name SODIUM HYDROXIDE SOLUTION  
 Hazard Class 8  
 Packing Group II  
 ERG-Code 8L  
 Shipping Description UN1824,SODIUM HYDROXIDE SOLUTION,8,PG II

#### IMDG/IMO

Proper Shipping Name SODIUM HYDROXIDE SOLUTION  
 Hazard Class 8  
 UN-No UN1824  
 Packing Group II  
 EmS No. F-A, S-B  
 Description UN1824,SODIUM HYDROXIDE SOLUTION,8,PG II

### 15. REGULATORY INFORMATION

#### Inventories

TSCA Complies

DSL Complies

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	Yes

#### CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	Not applicable

### 16. OTHER INFORMATION

Prepared By	Adrienne McKee
Supersedes Date	08/15/2013
Issuing Date	05/17/2017
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CHEM-AQUA, INC assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

