

SAFETY DATA SHEET

1. Identification Identification Product name: FRICK OIL #3 (PL) 111Q0550001 Additional identification Chemical name: Mixture Recommended use and restriction on use **Recommended use:** Refrigeration Lubricants. **Restrictions on use:** None identified. Details of the supplier of the safety data sheet Supplier Company Name: **CPI FLUID ENGINEERING** A DIV. OF THE LUBRIZOL CORPORATION 2300 JAMES SAVAGE ROAD Address: MIDLAND, MI 48642 US Telephone: 989-496-3780 **Emergency telephone number:** FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300 2. Hazard(s) identification Hazard Classification Not classified Label Elements: Hazard Symbol: No symbol Signal Word: No signal word. **Hazard Statement:** not applicable **Precautionary Statement:** not applicable Other hazards which do not result None identified. in GHS classification:

3. Composition/information on ingredients

General information:

Chemical name	CAS number	Percent by Weight
Mineral oil	64741-88-4	90 - 100%

4. First-aid measures

Ingestion:

Treat symptomatically. Get medical attention.



Inhalation:	Remove exposed person to fresh air if adverse effects are observed.	
Skin Contact:	Wash with soap and water. Get medical attention if symptoms occur. Launder contaminated clothing before reuse.	
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.	
Most important symptoms/effect	ts, acute and delayed	
Symptoms:	See section 11.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	Treat symptomatically.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media:	CO2, Dry chemical or Foam. Water can be used to cool and protect exposed material.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information.	
Special protective equipment an	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Recommend wearing self-contained breathing apparatus.	
6. Accidental release measures	3	
Personal precautions, protective equipment and emergency procedures:	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations.	
Methods and material for containment and cleaning up:	Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.	
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.	



7. Handling and storage

Precautions for safe handling:	Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case of spills, beware of slippery floors and surfaces. Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment.
Maximum Handling Temperature:	Not determined.
Conditions for safe storage, including any incompatibilities:	Store away from incompatible materials. See section 10 for incompatible materials.
Maximum Storage Temperature:	Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (02 2012)
Mineral oil - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Appropriate engineering controls:	No special requirements under ordinary conditions of use and with adequate ventilation.	
Individual protection measures,	such as personal protective equipment	
General information:	Use personal protective equipment as required.	
Eye/face protection:	If contact is likely, safety glasses with side shields are recommended.	
Skin Protection		
Hand Protection:	Nitrile. Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water.	
Other:	No data available.	
Respiratory Protection:	Use disposable dust/mist mask if the recommended exposure limit is exceeded. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.	



9. Physical and chemical properties

Odor:MildOdor threshold:No dapH:No dapFreezing point:No daBoiling Point:No daFlash Point:464 °Evaporation rate:No daFlammability (solid, gas):No daUpper/lower limit on flammability or explositNo da	l Iess to yellow ata available. ata available. ata available. F (240 °C) (Cleveland Open Cup) ata available. ata available.
Color:ColorOdor:MildOdor threshold:No dapH:No daFreezing point:No daBoiling Point:No daFlash Point:464 °Evaporation rate:No daFlammability (solid, gas):No daUpper/lower limit on flammability or explosive limit	rless to yellow ata available. ata available. ata available. ata available. rF (240 °C) (Cleveland Open Cup) ata available. ata available. ata available.
Odor:MildOdor threshold:No dapH:No dapH:No daFreezing point:No daBoiling Point:No daFlash Point:464 °Evaporation rate:No daFlammability (solid, gas):No daUpper/lower limit on flammability or explosive limit	ata available. ata available. ata available. ata available. F (240 °C) (Cleveland Open Cup) ata available. ata available. ts
Odor threshold:No daypH:No dayFreezing point:No dayBoiling Point:No dayFlash Point:464 °Evaporation rate:No dayFlammability (solid, gas):No dayUpper/lower limit on flammability or explosive limit	ata available. ata available. ata available. F (240 °C) (Cleveland Open Cup) ata available. ata available. ts
pH:No dayFreezing point:No dayBoiling Point:No dayFlash Point:464 °Evaporation rate:No dayFlammability (solid, gas):No dayUpper/lower limit on flammability or explosive limit	ata available. ata available. ata available. F (240 °C) (Cleveland Open Cup) ata available. ata available. ts
Freezing point:No dayBoiling Point:No dayBoiling Point:464 °Flash Point:464 °Evaporation rate:No dayFlammability (solid, gas):No dayUpper/lower limit on flammability or explosive limit	ata available. ata available. F (240 °C) (Cleveland Open Cup) ata available. ata available. ts
Boiling Point:No dayBoiling Point:464 °Flash Point:464 °Evaporation rate:No dayFlammability (solid, gas):No dayUpper/lower limit on flammability or explosive limit	ata available. F (240 °C) (Cleveland Open Cup) ata available. ata available. ts
Flash Point:464 °Evaporation rate:No daFlammability (solid, gas):No daUpper/lower limit on flammability or explosive limit	F (240 °C) (Cleveland Open Cup) ata available. ata available. ts
Evaporation rate:No daFlammability (solid, gas):No daUpper/lower limit on flammability or explosive limit	ata available. ata available. t s
Flammability (solid, gas): No da Upper/lower limit on flammability or explosive limit	ata available. ts
Upper/lower limit on flammability or explosive limit	ts
Flammability limit - upper (%):	ata available.
Flammability limit - lower (%): No da	ata available.
Explosive limit - upper (%): No da	ata available.
Explosive limit - lower (%): No da	ata available.
Vapor pressure: No da	ata available.
Vapor density: No da	ata available.
Relative density: 0.871	l 60.1 °F (15.6 °C)
Solubility(ies)	
Solubility in water: Insolu	uble in water
Solubility (other): No da	ata available.
Partition coefficient (n-octanol/water): No da	ata available.
Auto-ignition temperature: 549 °	F (287 °C)
Decomposition temperature: No da	ata available.
Viscosity: 70 m	m2/s(104 °F (40 °C))9.1 mm2/s(100 °C (212 °F))
Other information	
Bulk density: 7.24	lb/gal 77 °F (25 °C)
Pour Point Temperature: -22 °	°F (-30 °C)

10. Stability and reactivity

Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of hazardous reactions:	Will not occur.	
Conditions to avoid:	Do not expose to excessive heat, ignition sources, or oxidizing materials. Strong oxidizing agents.	
Incompatible Materials:	Oxidizing agents. Strong oxidizing agents.	
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.	



11. Toxicological information

Information on likely routes of ex	cposure	
Inhalation:	No data available.	
Ingestion:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Information on toxicological effe Acute toxicity Oral		
Product:	Not classified for acute toxicity based on available data.	
Dermal Product:	Not classified for acute toxicity based on available data.	
Inhalation Product:	Not classified for acute toxicity based on available data.	
Skin Corrosion/Irritation: Product:	Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin. Remarks: Not classified as a primary skin irritant.	
Serious Eye Damage/Eye Ir Product:	ritation: Remarks: Not classified as a primary eye irritant.	
Respiratory sensitization:	No data available	
Skin sensitization: Mineral oil	Classification: Not a skin sensitizer. (Read across)	
Specific Target Organ Toxi	city - Single Exposure: No data available	
Aspiration Hazard:	No data available	
Chronic Effects Carcinogenicity: Product:	This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.	
Mineral oil	All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered carcinogenic.	



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity:

No data available

Reproductive toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure: No data available

12. Ecological information

Ecotoxicity Fish	
	No data available
Aquatic Invertebrates Mineral oil	EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l
Toxicity to Aquatic Plants	No data available
Toxicity to soil dwelling organism	s No data available
Sediment Toxicity	No data available
Toxicity to Terrestrial Plants	No data available
Toxicity to Above-Ground Organis	sms No data available
Toxicity to microorganisms	No data available

Persistence and Degradability Biodegradation Mineral oil

OECD TG 301 F, 31 %, 28 d, Not readily degradable.

Bioaccumulative Potential Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow) No data available



Mobility:			
	No data available		
Other Adverse Effects:	No data available.		
13. Disposal considerations			
Disposal instructions:	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied.		
Contaminated Packaging:	Container packaging may exhibit hazards.		
14. Transport information			

DOT

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

Chemical Identity	CAS number	Reportable quantity	Calculated ¹
Barium sulfonate	Confidential	1000 lbs	> 50,000.00 lbs
	•••••••		> 22,679.60 kgs

¹This is the amount product/material required to be released before CERCLA reporting is required.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 311 Classifications

None known.

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification



Chemical Identity	CAS number	Percent by Weight	Reportable quantity
Barium sulfonate	Confidential	110.0 PPM	1000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethyl acrylate

8.00PPM

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

May require notification in Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)

All components of this material are on the US TSCA Inventory.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.



16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Flammability

Health Reactivity Special hazard.

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	02/19/2016
Version #:	2.0
Source of information:	Internal company data and other publically available resources.
Further Information:	Contact supplier (see Section 1)
Disclaimer:	As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.