# Lysol Brand Concentrate Disinfectant



### Section 1

# **Product Description**

Product Name: Recommended Use: Distributor:

**Chemical Information:** 

Lysol Brand Concentrate Disinfectant Science education applications Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

# **Section 2**

Chemtrec:







Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazard Identification

#### GHS Classification:

Serious Eye Damage/Eye Irritation Category 1, Flammable Liquid Category 2, Skin Corrosion/Irritation Category 2, Hazardous to the aquatic environment - Acute Category 2, Hazardous to the aquatic environment - Chronic Category 2, Acute Toxicity - Oral Category 4

Acute Toxicity Oral Contains Acute Toxicity Dermal Contains Acute Toxicity Inhalation Vapor Contains Acute Toxicity Inhalation Dust/Mist Contains 86.125 % of the mixture consists of ingredient(s) of unknown toxicity 92.375 % of the mixture consists of ingredient(s) of unknown toxicity 92.375 % of the mixture consists of ingredient(s) of unknown toxicity

92.375 % of the mixture consists of ingredient(s) of unknown toxicity

Section 3		

# **Composition / Information on Ingredients**

Chemical Name	CAS #_	%
Coconut Oil	8001-31-8	15
o-Benzyl-p-chlorophenol	120-32-1	6.25
Water	7732-18-5	5.88
2-Propanol	67-63-0	1.75
Xylenol	1300-71-6	1.75
Ethanol	64-17-5	1.75
Potassium Hydroxide	1310-58-3	0.38

### Section 4

# **First Aid Measures**

Emergency and First Aid Procedures					
Inhalation:	In case of accident by inhalation: remove casualty to fresh air and keep at rest.				
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
Skin Contact:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.				
Ingestion:	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.				

(	Use media suitable to extinguish surrounding fire. Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause from the purchase of the standard structure in the standard structure in the structure is the th				
	frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.				
Fire Fighting Methods and Protection:	Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.				
Fire and/or Explosion Hazards:	Fire or excessive heat may produce hazardous decomposition products. Potassium Oxide, Carbon dioxide, Carbon monoxide, Hydrogen chloride				
Section 6	Spill or Leak Procedures				
Released or Spilled:       equip         need       circui         area       spill.         spill.       Expo         equip       nece         the q       emple         No he       Folloo         Avoic       Venti         Use a       conta	sure to the spilled material may be severely irritating or toxic. Follow personal protective oment recommendations found in Section 8 of this SDS. Personal protective equipment is must be evaluated based on information provided on this sheet and the special mstances created by the spill including; the material spilled, the quantity of the spill, the in which the spill occurred, and the expertise of employees in the area responding to the Never exceed any occupational exposure limits. Soure to the spilled material may be irritating or harmful. Follow personal protective oment recommendations found in Section 8 of this SDS. Additional precautions may be sary based on special circumstances created by the spill including; the material spilled, upuntity of the spill, the area in which the spill occurred. Also consider the expertise of oyees in the area responding to the spill. eath affects expected from the clean-up of this material if contact can be avoided. w personal protective equipment recommendations found in Section 8 of this (M)SDS d creating and inhaling spray or mist. Avoid contact with skin. Avoid contact with eyes. ilate the contaminated area. an inert absorbent such as sand or vermiculite. Place in properly labeled closed ainer. Contain the discharged material. Do not flush spill to drain. Block any potential es to water systems. Collect spillage.				

Section 7

# Handling and Storage

Handling:Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed.<br/>Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../<br/>equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash<br/>thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment.<br/>Wear protective gloves/protective clothing/eye protection/face protection. Do not ingest or take internally.Storage:Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container tightly closed in a cool,<br/>well-ventilated place.Storage Code:Green - general chemical storage

### Section 8

# **Protection Information**

	ACG	<u>SIH</u>	OSHA PEL		
Chemical Name	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>	
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA	N/A	
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A	
Potassium Hydroxide	N/A	N/A	N/A	N/A	

Control Parameters Engineering Measures:

Eye Protection:

Personal Protective Equipment (PPE): Respiratory Protection:

Lab coat, apron, eye wash, safety shower. No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section 11. A respirator is not normally required.

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Good general room ventilation

should be sufficient to control airborne contaminates to safe levels.

Wear chemical splash goggles when handling this product. Have an eye wash station available.

Skin Protection:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves:

#### **Section 9**

Formula: This product is a mixture. Molecular Weight: Appearance: Red Liquid Odor: No data available Odor Threshold: No data available

pH: No data available
Melting Point: No data available
Boiling Point: No data available
Flash Point: 216 C
Flammable Limits in Air: No data available

### Section 10

Reactivity: Chemical Stability: Conditions to Avoid: Incompatible Materials:

Hazardous Decomposition Products: Hazardous Polymerization: Nitrile, Natural rubber, Neoprene, PVC or equivalent.

# **Physical Data**

Vapor Pressure: No data available Evaporation Rate (BuAc=1): No data available Vapor Density (Air=1): No data available Specific Gravity: No data available Solubility in Water: Practically Insoluble Soluble Slightly Soluble Log Pow (calculated): No data available Autoignition Temperature: No data available Decomposition Temperature: No data available Viscosity: 10 Percent Volatile by Volume: No data available

# **Reactivity Data**

No data available Stable under normal conditions.

Sparks, open flame, other ignition sources, and elevated temperatures. No data available. Oxidizing materials, Water-reactive materials, Acids, Strong oxidizing agents, Strong reducing agents, Metals, Peroxides, Epoxides, Isocyanates Potassium Oxide, Carbon dioxide, Carbon monoxide, Hydrogen chloride Will not occur

# Section 11

## Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact., Inhalation and ingestion. Symptoms (Acute): To the best of our knowledge, the toxicological properties of this mixture have not been thoroughly evaluated., Central Nervous System Depression, Respiratory disorders, Respiratory Irritation, Dermititis, Dizziness No data available

**Delayed Effects:** 

Acute Toxicity: Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
o-Benzyl-p-chlorophenol	120-32-1	Oral LD50 Rat = 1700 mg/kg		
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Potassium Hydroxide	1310-58-3	Oral LD50 Rat 273 mg/kg		
Carcinogenicity:				
Chemical Name	CAS Number	IARC	NTP	OSHA
2-Propanol	67-63-0	Listed	Not listed	Not listed
Ethanol	64-17-5	Listed	Listed	Listed
Potassium Hydroxide	1310-58-3	Not listed	Not listed	Not listed
Chronic Effects: Mutagenicity:	No evidence of a mutagenic effect.			

Mutagenicity:	No evidence of a mutagenic effect.
Teratogenicity:	No evidence of a teratogenic effect (birth defect).
Sensitization:	No evidence of a sensitization effect.
Reproductive:	No evidence of negative reproductive effects.
Target Organ Effects:	
Acute:	See Section 2, Central Nervous System, No information available
Chronic:	Not listed as a carcinogen by IARC, NTP or OSHA., No information available

# Section 12

Extreme ecological hazard. This product may be highly toxic to plants and/or wildlife. Keep out of Overview: waterways. Mobility: No data Dissolved into water Persistence: **Bioaccumulation:** No data Degradability: No data **Other Adverse Effects:** No data **Chemical Name CAS Number Eco Toxicity** Water 7732-18-5 No data available 67-63-0 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 2-Propanol 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L **Xylenol** 1300-71-6 48 HR LC50 CYPRINUS CARPIO 5 MG/L [STATIC] 24 HR EC50 WATER FLEA 150 MG/L [STATIC] Ethanol 64-17-5 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L Potassium Hydroxide 1310-58-3 96 HR LC50 GAMBUSIA AFFINIS 80 MG/L [STATIC]

**Ecological Data** 

# Section 13

# **Disposal Information**

#### **Disposal Methods:**

Waste Disposal Code(s):

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance. Not Determined

# **Transport Information**

**Ground - DOT Proper Shipping Name:** Not regulated for transport by US DOT. **Air - IATA Proper Shipping Name:** Not regulated for air transport by IATA.

### Section 15

Section 14

# Regulatory Information

**Additional Information** 

**TSCA Status:** 

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Xylenol	1300-71-6	No	1000 lb RQ	1000 lb final RQ; 454 kg final RQ	No	No
Ethanol	64-17-5	No	No	No	No	No
Potassium Hydroxide	1310-58-3	No	No	No	No	No

California Prop 65:

WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

### Section 16

Revised: 04/22/2015

#### Replaces: 04/22/2015

#### Printed: 04-22-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

#### Glossary

ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health