

# CHILDERS CP-70 801831PM

#### SAFETY DATA SHEET

REVISION DATE: 06-07-2017 SUPERSEDES: 11-18-2016

# SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT:

CHILDERS CP-70

PRODUCT DESCRIPTION:

Sealant

INTENDED USE:

Sealant

PRODUCT IDENTIFIER:

801831PM

## **COMPANY INFORMATION**

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504

Phone: 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

## **SECTION 2: HAZARDS IDENTIFICATION**

#### **GHS Hazard Symbols:**





GHS Signal Word:

Warning

**GHS** Classification:

Skin Sensitisation Category 1; Carcinogenicity Category 2; Hazardous to the aquatic

environment - Acute Category 3; Flammable Liquid Category 4

**GHS Hazard Phrases:** 

Combustible Liquid; May cause an allergic skin reaction.; Suspected of causing

cancer.; Harmful to aquatic life.

**GHS Precautions:** 

**Safety Precautions:** 

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work

clothing should not be allowed out of the workplace. Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures:

IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get

medical advice/attention. Wash contaminated clothing before reuse. In case of fire:

Use water spray, foam, dry chemical or carbon dioxide to extinguish.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international

regulation for hazardous wastes.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
Calcium carbonate	471-34-1	50 - 70		* (see below)
Polybutene	9003-29-6	5 - 10	Aquatic Chronic 4; H413	



# CHILDERS CP-70 801831PM

#### SAFETY DATA SHEET

Stoddard solvent	8052-41-3	1 - 5	Asp. Tox. 1; H304	Note P
Diisodecyl phthalate, branched	68515-49-1	1 - 5	Aquatic Acute 1; H400	
Cobalt bis(2-ethylhexanoate)	136-52-7	0.1 - 1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317	
Trimethylbenzene, 1,2,4-	95-63-6	0,1 ~ 1	Aquatic Chronic 2; H411 Acute Tox. 4; H332 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Skin Irrit. 2; H315 STOT SE 3; H335, H336	
Methyl ethyl ketoxime	96-29-7	0.1 - 1	Acute Tox. 4; H312 Acute Tox. 4; H302 Carc. 2; H351 Eye Dam. 1; H318 Skin Sens. 1; H317	

\*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur. This product contains crystalline silica. As provided, and during normal use of this product, the crystalline silica is encapsulated within the product. As such, it is considered to be inextricably bound, and not readily available for exposure. Use of this product would not subject the user to the compliance requirements of 29CFR1910.1053 or 1926.1153.

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

## **SECTION 4: FIRST AID MEASURES**

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

#### **SECTION 5: FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA:

Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Vapors are heavier than air and can travel to a source of ignition

SPECIAL FIRE FIGHTING INSTRUCTIONS:

Persons exposed to products of combustion should wear selfcontained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon dioxide, Carbon monoxide Chlorine containing gases

Nitrogen containing gases

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

CHILDERS CP-70 801831PM

#### SAFETY DATA SHEET

SPECIAL PROTECTION: Exposure to the spilled material may be irritating or harmful. Follow

personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Evaporation of volatile substances can lead to the displacement of air creating an

environment that can cause asphyxiation.

METHODS FOR CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to

containers for disposal. Keep spilled product out of sewers, watersheds,

or water systems.

Shut off ignition sources; including electrical equipment and flames. Do

not allow smoking in the area.

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

## **SECTION 7: HANDLING AND STORAGE**

Handling:

Avoid contacting and avoid breathing the material. Use only in a well ventilated

area.

Keep away from heat, sparks and flame.

Wash thoroughly after handling.

Keep container closed.

Emptied container retains vapor and product residue.

Observe all labeled precautions until container is cleaned.

Drums of this material should be grounded when pouring.

DO NOT CUT OR WELD ON OR NEAR THIS CONTAINER.

Storage:

Store in a cool, dry, ventilated location. Keep away from heat and flame. Keep

container closed.

Consult the Technical Data Sheet for specific storage instructions.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	Note	ACGIH EXPOSURE LIMITS	OSHA PEL
Calcium carbonate	* (see below)	No data available.	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Stoddard solvent	Note P	100 ppm TWA	500 ppm TWA; 2900 mg/m3 TWA
Crystalline silica	* (see below)	0.025 mg/m3 TWA (respirable particulate matter)	((250)/(%SiO2 + 5) mppcf TWA (respirable)); ((10)/(%SiO2 + 2) mg/m3 TWA (respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust))

<sup>\*</sup>This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur. This product contains crystalline silica. As provided, and during normal use of this product, the crystalline silica is encapsulated within the product. As such, it is considered to be inextricably bound, and not readily available for exposure. Use of this product would not subject the user to the compliance requirements of 29CFR1910.1053 or 1926.1153.

## **ENGINEERING CONTROL METHODS:**

**VENTILATION:** 

General room ventilation might be required under normal conditions

of use.



# CHILDERS CP-70 801831PM

## SAFETY DATA SHEET

EYE PROTECTION:

Wear safety glasses when handling this product.

SKIN PROTECTION:

Not normally required. Wear chemically resistant gloves to prevent

prolonged or repeated contact.

GLOVES:

Nitrile

RESPIRATORY PROTECTION:

No respiratory protection required under normal conditions of use. Respirators should be selected by and used following requirements

found in OSHA's respirator standard (29 CFR 1910.134).

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

COLOR:

ODOR:

ODOR THRESHOLD:

pH:

FREEZING/MELTING POINT (deg. C):

BOILING POINT (deg. C):

FLASH POINT:

**EVAPORATION RATE:** 

FLAMMABILITY:

UPPER EXPLOSIVE LIMIT (% in air): LOWER EXPLOSIVE LIMIT (% in air):

VAPOR PRESSURE (mm Hg): VAPOR DENSITY:

WEIGHT PER GALLON (lbs.): SPECIFIC GRAVITY:

SOLUBILITY:

OCTANOL/WATER COEFFICIENT: **AUTOIGNITION TEMPERATURE:** DECOMPOSITION TEMPERATURE:

VISCOSITY: SOLIDS (% by weight):

VOC, weight percent

VOC, U.S. EPA Method 24, less water and exempt solvents (theoretically determined)

Liquid

Gray

Solvent

Not established Not established

Not established

Not established

62°C; 144°F Pensky-Martens

Not established

Not a flammable solid or gas

Not established Not established Not established

Not established

13.50 1.620

Not established Not established Not established Not established

No data available. 95.0

4.98

85g/liter of material

## SECTION 10: STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.

CHEMICAL INCOMPATIBILITY:

Strong oxidizing agents

HAZARDOUS POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Nitrogen

containing gases Chlorine containing gases

# SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

COMPONENT NAME	LD50/LC50	
No data available.		



CHILDERS CP-70 801831PM

#### SAFETY DATA SHEET

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation; No irritation hazard in normal industrial use.

Serious eye damage / irritation :No irritation hazard in normal industrial use.

Respiratory / skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that may cause cancer.

Reproductive toxicity: Contains a substance that is a possible reproductive hazard based on animal studies.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Kidneys Central nervous system Lungs Heart

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Kidney disease, Lung disease

## **SECTION 12: ECOLOGICAL INFORMATION**

OVERVIEW:

No ecological information available for this product.

MOBILITY:

No data available.

PERSISTENCE:

No data available.

BIOACCUMULATION:

No data available.

## This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Diisodecyl phthalate, branched	Acute Toxicity (Fish): 96 Hr LC50 Pimephales promelas: >0.66 mg/L [static]; 96 Hr LC50 Pimephales promelas: >1 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: >1 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: >0.62 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: >0.55 mg/L [static]  Acute Toxicity (Daphnia): 48 Hr EC50 Daphnia magna: >0.18 mg/L  Acute Toxicity (Algae): 96 Hr EC50 Pseudokirchneriella subcapitata: >1.3 mg/L

## **SECTION 13: DISPOSAL CONSIDERATIONS**

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of in an approved landfill. Consult your state, local or provincial authorities and your local waste vendor for more restrictive requirements.

# **SECTION 14: TRANSPORT INFORMATION**

Consult Bill of Lading for transportation information.

US DOT:

NOT REGULATED

IATA:

NOT REGULATED

IMDG:

NOT REGULATED

# **SECTION 15: REGULATORY INFORMATION**

INVENTORY STATUS

U.S. EPA TSCA:

This product is in compliance with the Toxic Substances Control Act's

Inventory requirements.

CANADIAN CEPA DSL:

The components of this product are included on the DSL or are exempt



# CHILDERS CP-70 801831PM

#### SAFETY DATA SHEET

from DSL requirements.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

met.

AUSTRALIA AICS: This product is in compliance with the Australian Inventory of

Chemical Substances requirements.

JAPAN ENCS: This product is in compliance with the Japanese Existing and New

Chemical Substances requirements.

KOREAN TCCL: This product is in compliance with the Korean Existing Chemicals List

requirements.

PHILIPPINES: This product is in compliance with the Philippine Inventory of

Chemicals and Chemical Substances requirements.

CHINA IECSC INVENTORY: This product is in compliance with the Inventory of Existing Chemical

Substances in China (IECSC) requirements.

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg,request@hbfuller.com to request an export review.

#### FEDERAL REPORTING

\*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur. This product contains crystalline silica. As provided, and during normal use of this product, the crystalline silica is encapsulated within the product. As such, it is considered to be inextricably bound, and not readily available for exposure. Use of this product would not subject the user to the compliance requirements of 29CFR1910.1053 or 1926.1153.

#### EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

Chemical Name	CAS#	%
Cobalt compounds	136-52-7	0.1 - 1

## STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

Chemical Name/List		CAS	Percent
Quartz	(Carcinogen)	14808-60-7	0.1 - 1
Cumene	(Carcinogen)	98-82-8	0.1 - 1
Naphthalene	(Carcinogen)	91-20-3	0.1 - 1
ethylbenzene	(Carcinogen)	100-41-4	0.1 - 1
Methyl isobutyl ketone	(Carcinogen)	108-10-1	0.001 - 0.01
Carbon black	(Carcinogen)	1333-86-4	0.001 - 0.01
Benzene	(Carcinogen)	71-43-2	< 10 ppm
Diisodecyl phthalate (mixed	(Developmental toxin)	68515-49-1	1 - 5
isomers)			
Methanol	(Developmental toxin)	67-56-1	0.1 - 1
Methyl isobutyl ketone	(Developmental toxin)	108-10-1	0.001 - 0.01
Benzene	(Developmental toxin)	71-43-2	< 10 ppm



CHILDERS CP-70 801831PM

#### SAFETY DATA SHEET

boottom and the second and the secon	- non	· · · · · · · · · · · · · · · · · · ·	q <del></del>
Benzene	(Male reproductive toxin)	71-43-2	< 10 ppm

## Substances of Very High Concern (SVHC) Content:

Unless listed below, this product does not contain SVHC's at 0.1% or greater, as of the version date of this SDS.

## **SECTION 16: OTHER INFORMATION**

SDS VERSION DATE:

06-07-2017

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 2 FLAMMABILITY -- 2 REACTIVITY -- 0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment

recommendations.

Prepared by: The Global Regulatory Department

Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Construction Products, Inc. from its suppliers, and because H.B. Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B. Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.

		1.10
l e e e e e e e e e e e e e e e e e e e		